

## WET & DRY CORE BITS

---



Premium quality segments designed for drilling in concrete or masonry material with light to heavy steel reinforcing. Hand-held or machine drilling



## SEGMENTED CORE BITS FOR STONE

---

Stone and ceramic tile bits wet/dry on handheld or stand mounted available upon request.



Part No.	Diameter
----------	----------

Part No.	Diameter
----------	----------

CBS038	3/8" - 12 mm
CBS058	5/8" - 16 mm
CBS034	3/4" - 19 mm
CBS001	1" - 25 mm
CBS114	1 1/4" - 32 mm
CBS138	1 3/8" - 35 mm
CBS112	1 1/2" - 39 mm

CBS158	1 5/8" - 42 mm
CBS134	1 3/4" - 45 mm
CBS002	2" - 50 mm
CBS212	2 1/2" - 64 mm
CBS003	3" - 75 mm
CBS004	4" - 100 mm
CBS005	5" - 125 mm

## VACUUM BRAZED CORE BITS




Fast drilling for ceramic tile and hard materials, handheld or stand mounted.  
All diameters available upon request.

## Drill Segments for re - tipping

Part No.	Segment Size	Diameter
CB38	16x2.5-3.0-3.5x10-12 mm	36/40
CB45	20/24x2.5-3.0-3.5x10-12 mm	42/48
CB55	24x3.0-3.5-4.0x10-12 mm	50/65


CB75	-	67/87
CB100	-	90/112
CB125	-	115/138
CB150	-	140/172
CB200	24x3.5-4.0-4.5x10-12 mm	175/230
CB250	24x3.5-4.0-4.5x10-12 mm	230/275
CB300	24x4.0-4.5-5.0x10-12 mm	276/500
CBST	24 x 5.0 x 10-12 mm	+ 500




**Bat super 12.5 mm height**




**Turbo roof-top 10 mm height**



**stone or asphalt  
Flat10 2.5 - 5.0 mm**



**Wave 12mm**



**K-11 roof-top**




**CHEVRON**

## **DRY DRILL BITS**



# RING (CROWN) SEGMENTS

---



**16 x 2.5 x 12 mm**

**18 x 2.5**

**20 x 2.5**

**22 x 2.5**

**24 x 2.5**

**25 x 2.5**

**26 x 2.5**

**28 x 2.5**

**30 x 2.5**

**32 x 2.5**

**35 x 2.5**

**36 x 2.5**

**40 x 2.5**

**41 x 2.5**

**46 x 2.5**

**56 x 3.5**